


SECUNORM MULTISAFE

A ROBUST, SOLID AND EASY TO USE MULTI-TASKER.

NEW



THE SAFER WAY TO CUT.


martor

SECUNORM MULTISAFE

NO. 81652




Original size




Robust design

As you can see and feel, the SECUNORM MULTISAFE is extremely stable. And flexible, since you can use a large number of blade shapes. The safety knife is therefore suitable for many cutting applications.



Made of unpainted solid metal

The SECUNORM MULTISAFE is a moulded tool. Made from zinc die-casting. With its unpainted handle, it is especially valued in sensitive sectors



Slider on top

With the right or with the left hand, you ask? Left and right, is the answer! The metal slider is on top of the handle. And can thus be easily used with either thumb.



2-cutting edge blade

Before you have to change the stainless quality blade, you can turn it over once. This doubles the usage time of the blade – and reduces your energy consumption. Because your SECUNORM MULTISAFE will cut again like new.



Eyelet for fastening

Ever since its introduction the SECUNORM MULTISAFE is equipped with an eyelet for tethering your knife to you or a work station.

Heavy metal – unpainted. With a stainless, rounded trapezoid blade.

The SECUNORM MULTISAFE is a real classic now also available with a unpainted handle. It provides excellent durability thanks to its handle made of zinc and its uncomplicated, robust design. With its notable blade extension, you can cut all standard materials. Should you have any particular requirements, you can re-fit the SECUNORM MULTISAFE with one of our many optional blades.

PRODUCT FEATURES

Technical features

	High safety		Blade change with tool
	Very abrasion resistant		Full metal housing
	Ergonomic		2-cutting edge blade
	Cutting depth 20		Rounded-tip trapezoid blade
	X-ray detectable		Stainless

Main cutting materials

	Cardboard: up to 3-ply		Plastic strapping band
	Tape		Slabbing material off a roll
	Textile, material		Rubber

Installed blade

	NO. 165232	0.63 mm, stainless, rounded blade tips, deep-edged
--	-------------------	--


Optional blade

	NO. 65232	0.63 mm, rounded blade tips, deep-edged
	NO. 5232	0.63 mm, deep-edged
	NO. 5233	0.63 mm, 1-sided ground-edge
	NO. 610	0.63 mm, stainless
	NO. 56	0.63 mm
	NO. 5634	0.63 mm, rounded blade tips
	NO. 60	0.63 mm


Certificates and awards



Application



Safety technology



Automatic blade retraction – a high degree of safety

The automatic blade retraction of the SECUNORM MULTISAFE guarantees a high degree of safety from cut injuries. As soon as you have started to cut, take your thumb off the slider. Then the blade will retract into the handle immediately after leaving the material being cut.

YOU CAN FEEL THE QUALITY.

SECUNORM MULTISAFE

- › Robust handle made of unpainted zinc
- › With metal slider on top
- › Large cutting depth
- › Automatic blade retraction
- › GS-certified for approved safety

PRODUCT DETAILS

Order No.	NO. 81652.19		
Packaging unit	1 in single unit box (10 in multipack)		
Knife size (L x W x H)	142 x 17 x 38.5 mm		
Main material	Zinc		
Weight	150.0 g		
Cutting depth	20 mm		
Spare blade	NO. 165232.70		
Packaging unit	(10 in dispenser)		
Size (L x W x Thickness)	50.1 x 18.9 x 0.63 mm		
Certified	GS certificate NO. 180699-7246-55094-2020/1		
Accessories			
BELT HOLSTER S		NO. 9920	
BELT HOLSTER XXL		NO. 9924	
HOLSTER SMALL		NO. 9842	
TOOL RETRACTOR		NO. 9960	
USED BLADE CONTAINER		NO. 9810	
WALL MOUNT BRACKET USED BLADE CONTAINER		NO. 9845	
SAFEBOX		NO. 108000	

CONTACT AND SERVICE

What makes our cutting solutions even safer?
Our advisory services! We are always on hand,
to give advice, to provide you with training ma-
terial, to meet with you in person if necessary.

You will find further information on our website:
www.martor.com



From the first cut to changing the blade, our
video will show you the best way to use this
knife.



Everything you want to know: dimensions,
properties, special features and more about our
cutting tools can be found in the technical data
sheet.



Still have questions? You can reach our service
department on [+49 212 73870-0](tel:+49212738700)