


SECUNORM MULTISAFE

A ROBUST, SOLID AND EASY TO USE MULTI-TASKER.

NEW



THE SAFER WAY TO CUT.


**martor**

# SECUNORM MULTISAFE

## NO. 8152




Original size




### Robust design

As you can see and feel, the SECUNORM MULTISAFE is extremely stable. And flexible, since you can use a large number of blade shapes. The safety knife is therefore suitable for many cutting applications.



### Made of unpainted solid metal

The SECUNORM MULTISAFE is a moulded tool. Made from zinc die-casting. With its unpainted handle, it is especially valued in sensitive sectors.



### Slider on top

With the right or with the left hand, you ask? Left and right, is the answer! The metal slider is on top of the handle. And can thus be easily used with either thumb.



### 2-cutting edge blade

Before you have to change the quality blade, you can turn it over once. This doubles the usage time of the blade – and reduces your energy consumption. Because your SECUNORM MULTISAFE will cut again like new.



### Eyelet for fastening

Ever since its introduction the SECUNORM MULTISAFE is equipped with an eyelet for tethering your knife to you or a work station.

## Heavy Metal – unpainted. With trapezoid blade.

The SECUNORM MULTISAFE is a real classic now also available with a unpainted handle. It provides excellent durability thanks to its handle made of zinc and its uncomplicated, robust design. With its notable blade extension, you can cut all standard materials. Should you have any particular requirements, you can re-fit the SECUNORM MULTISAFE with one of our many optional blades.

## PRODUCT FEATURES


### Technical features

|                                                                                      |                            |                                                                                       |                        |
|--------------------------------------------------------------------------------------|----------------------------|---------------------------------------------------------------------------------------|------------------------|
|    | High safety                |    | Blade change with tool |
|    | Very abrasion resistant    |    | Full metal housing     |
|    | Ergonomic                  |    | 2-cutting edge blade   |
|   | Cutting depth              |   | X-ray detectable       |
|  | For right and left handers |  | Lanyard hole           |

### Main cutting materials

|                                                                                      |                        |                                                                                       |                              |
|--------------------------------------------------------------------------------------|------------------------|---------------------------------------------------------------------------------------|------------------------------|
|  | Cardboard: up to 3-ply |  | Plastic strapping band       |
|  | Tape                   |  | Slabbing material off a roll |
|  | Textile, material      |  | Rubber                       |

### Installed blade

|                                                                                      |                 |                     |
|--------------------------------------------------------------------------------------|-----------------|---------------------|
|  | <b>NO. 5232</b> | 0.63 mm, deep-edged |
|--------------------------------------------------------------------------------------|-----------------|---------------------|


### Optional blade

|                                                                                      |                   |                                                    |
|--------------------------------------------------------------------------------------|-------------------|----------------------------------------------------|
|  | <b>NO. 5233</b>   | 0.63 mm, 1-sided ground-edge                       |
|  | <b>NO. 610</b>    | 0.63 mm, stainless                                 |
|  | <b>NO. 65232</b>  | 0.63 mm, rounded blade tips, deep-edged            |
|  | <b>NO. 165232</b> | 0.63 mm, stainless, rounded blade tips, deep-edged |
|  | <b>NO. 56</b>     | 0.63 mm                                            |
|  | <b>NO. 5634</b>   | 0.63 mm, rounded blade tips                        |
|  | <b>NO. 60</b>     | 0.63 mm                                            |


### Certificates and awards



### Application



### Safety technology



#### Automatic blade retraction – a high degree of safety

The automatic blade retraction of the SECUNORM MULTISAFE guarantees a high degree of safety from cut injuries. As soon as you have started to cut, take your thumb off the slider. Then the blade will retract into the handle immediately after leaving the material being cut.

YOU CAN FEEL THE QUALITY.

SECUNORM MULTISAFE

- › Robust handle made of unpainted zinc
- › With metal slider on top
- › Large cutting depth
- › Automatic blade retraction
- › GS-certified for approved safety

PRODUCT DETAILS

|                                            |                                                                                       |            |  |
|--------------------------------------------|---------------------------------------------------------------------------------------|------------|--|
| Order No.                                  | NO. 8152.19                                                                           |            |  |
| Packaging unit                             | 1 in single unit box<br>(10 in multipack)                                             |            |  |
| Knife size (L x W x H)                     | 142 x 17 x 38.5 mm                                                                    |            |  |
| Main material                              | Zinc                                                                                  |            |  |
| Weight                                     | 150.0 g                                                                               |            |  |
| Cutting depth                              | 22 mm                                                                                 |            |  |
| Spare blade                                | NO. 5232.70                                                                           |            |  |
| Packaging unit                             | (10 in dispenser)                                                                     |            |  |
| Size (L x W x Thickness)                   | 53 x 19 x 0.63 mm                                                                     |            |  |
| Certified                                  | GS certificate<br>NO. 180699-7246-55094-2020/1                                        |            |  |
| Accessories                                |                                                                                       |            |  |
| BELT HOLSTER S                             |  | NO. 9920   |  |
| BELT HOLSTER XXL                           |  | NO. 9924   |  |
| HOLSTER SMALL                              |  | NO. 9842   |  |
| TOOL RETRACTOR                             |  | NO. 9960   |  |
| USED BLADE CONTAINER                       |  | NO. 9810   |  |
| WALL MOUNT BRACKET<br>USED BLADE CONTAINER |  | NO. 9845   |  |
| SAFEBOX                                    |  | NO. 108000 |  |

CONTACT AND SERVICE

What makes our cutting solutions even safer?  
Our advisory services! We are always on hand,  
to give advice, to provide you with training ma-  
terial, to meet with you in person if necessary.

You will find further information on our website:  
[www.martor.com](http://www.martor.com)



From the first cut to changing the blade, our  
video will show you the best way to use this  
knife.



Everything you want to know: dimensions,  
properties, special features and more about our  
cutting tools can be found in the technical data  
sheet.



Still have questions? You can reach our service  
department on [+49 212 73870-0](tel:+49212738700)